

ELite H580 Lyse 3

Creation date	19th March 2020	Version	4.0
Revision date	04th July 2023		

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Substance / mixture	ELite H580 Lyse 3
Number	mixture
UFI	HEM00022
	3CDF-W3E9-NN47-2P1C

1.2. Relevant identified uses of the substance or mixture and uses advised against**Mixture's intended use**

ELite H580 Lyse3 is used for differentiation of white blood cells on hematology analysers ELite 580.

Main intended use

PC-MED-OTH Other medical devices

Secondary uses

PC-TEC-19 Reagents and laboratory chemicals

Mixture uses advised against

not available

1.3. Details of the supplier of the safety data sheet**Manufacturer**

Name or trade name	Erba Lachema s.r.o.
Address	Karásek 2219/1d , Brno, 62100
	Czech Republic
Identification number (CRN)	26918846
VAT Reg No	CZ26918846
Phone	+420 517 077 111
E-mail	msds@erba.com
Web address	www.erbalachema.com

Competent person responsible for the safety data sheet

Name	Erba Lachema s.r.o.
E-mail	msds@erba.com

1.4. Emergency telephone number

European emergency number: 112 112

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification of the mixture in accordance with Regulation (EC) No 1272/2008**

The mixture is classified as dangerous.

Skin Irrit. 2, H315

Eye Irrit. 2, H319

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

Causes serious eye irritation. Causes skin irritation.

2.2. Label elements**Hazard pictogram****Signal word**

Warning

Hazard statements

H315 Causes skin irritation.

ELite H580 Lyse 3

Creation date	19th March 2020	Version	4.0
Revision date	04th July 2023		

H319	Causes serious eye irritation.
Precautionary statements	
P280	Wear protective gloves/protective clothing/eye protection.
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
Supplemental information	
EUH208	Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients**3.2. Mixtures****Chemical characterization**

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-001-00-X CAS: 67-56-1 EC: 200-659-6	methanol	<2	Flam. Liq. 2, H225 Acute Tox. 3, H301+H311+H331 STOT SE 1 (**), H370 Specific concentration limit: STOT SE 1, H370: C ≥ 10 % STOT SE 2, H371: 3 % ≤ C < 10 %	2, 3, 4
Index: 607-001-00-0 CAS: 64-18-6 EC: 200-579-1	formic acid ... %	1,4	Skin Corr. 1A, H314 Specific concentration limit: Skin Irrit. 2, H315: 2 % ≤ C < 10 % Eye Irrit. 2, H319: 2 % ≤ C < 10 % Skin Corr. 1A, H314: C ≥ 90 % Skin Corr. 1B, H314: 10 % ≤ C < 90 %	1, 2
Index: 011-002-00-6 CAS: 1310-73-2 EC: 215-185-5 Registration number: 01-2119457892-27-0000	sodium hydroxide	<1,2	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318 Specific concentration limit: Skin Corr. 1B, H314: 2 % ≤ C < 5 % Skin Corr. 1A, H314: C ≥ 5 % Eye Irrit. 2, H319: 0.5 % ≤ C < 2 % Skin Irrit. 2, H315: 0.5 % ≤ C < 2 %	2
Index: 603-098-00-9 CAS: 122-99-6 EC: 204-589-7	2-phenoxyethanol	<0,3	Acute Tox. 4, H302 Eye Dam. 1, H318 STOT SE 3, H335 Specific concentration limit: ATE Oral = 1394 mg/kg bw	

ELite H580 Lyse 3

Creation date 19th March 2020

Revision date 04th July 2023

Version

4.0

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 2082-84-0 EC: 218-219-7	Decyltrimethylammonium bromide	<0,1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	
CAS: 9043-30-5 EC: 500-027-2	isotridecanol, ethoxylated	0,1	Acute Tox. 4, H302 Eye Dam. 1, H318	
CAS: 6381-92-6 EC: 205-358-3	Disodium EDTA	<0,1	Acute Tox. 4, H332 STOT RE 2, H373	
Index: 613-167-00-5 CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one	<0,0002	Acute Tox. 3, H301 Acute Tox. 2, H310+H330 Skin Corr. 1C, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071 Specific concentration limit: Eye Irrit. 2, H319: $0.06\% \leq C < 0.6\%$ Skin Sens. 1A, H317: $C \geq 0.0015\%$ Skin Irrit. 2, H315: $0.06\% \leq C < 0.6\%$ Skin Corr. 1C, H314: $C \geq 0.6\%$ Eye Dam. 1, H318: $C \geq 0.6\%$	1

Notes

** another exposure route cannot be ruled out

- Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
- A substance for which exposure limits are set.
- Substance for which biological limit values exist.
- The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures**

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

If swallowed

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

ELite H580 Lyse 3

Creation date	19th March 2020		
Revision date	04th July 2023	Version	4.0

4.2. Most important symptoms and effects, both acute and delayed**If inhaled**

Not expected.

If on skin

Causes skin irritation.

If in eyes

Causes serious eye irritation.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes. Observe the principles of work safety in chemical laboratories.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

Storage temperature

min 2 °C, max 30 °C

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

The mixture contains substances for which occupational exposure limits are set.

ELite H580 Lyse 3

Creation date

19th March 2020

Revision date

04th July 2023

Version

4.0

Czech Republic

Government Regulation 195/2021 Coll.

Substance name (component)	Type	Value	Conversion for ppm	Note
methanol (CAS: 67-56-1)	PEL	250 mg/m ³	0,751	skin penetration is significantly involved during exposure
	NPK-P	1000 mg/m ³	0,751	
formic acid ... % (CAS: 64-18-6)	PEL	9 mg/m ³	0,523	irritating to mucous membranes (eyes, respiratory system) and skin
	NPK-P	18 mg/m ³	0,523	
sodium hydroxide (CAS: 1310-73-2)	PEL	1 mg/m ³		irritating to mucous membranes (eyes, respiratory system) and skin
	NPK-P	2 mg/m ³		

European Union

Commission Directive 2006/15/EC

Substance name (component)	Type	Value	Note
methanol (CAS: 67-56-1)	OEL 8 hours	260 mg/m ³	Skin
	OEL 8 hours	200 ppm	
formic acid ... % (CAS: 64-18-6)	OEL 8 hours	9 mg/m ³	
	OEL 8 hours	5 ppm	

Biological limit values

Czech Republic

Decree No. 107/2017 Coll.

Name	Parameter	Value	Tested material	Time of sampling
methanol (CAS: 67-56-1)	methanol	15 mg/l	Urine	End of shift
		0,47 mmol/l		

8.2. Exposure controls

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

ELite H580 Lyse 3

Creation date	19th March 2020	Version	4.0
Revision date	04th July 2023		

Respiratory protection

If all workplace limits are observed and good ventilation is ensured, no special precautions necessary.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	liquid
Colour	data not available
Odour	data not available
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	100 °C
Flammability	The product is non-flammable.
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	data not available
Kinematic viscosity	data not available
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	1,01 g/cm ³
Relative vapour density	data not available
Particle characteristics	data not available
Form	liquid

9.2. Other information

Oxidising properties	The product has no oxidizing properties.
Explosive properties	The product does not have explosive properties.

SECTION 10: Stability and reactivity**10.1. Reactivity**

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

ELite H580 Lyse 3

Creation date 19th March 2020
 Revision date 04th July 2023 Version 4.0

Acute toxicity

Based on available data the classification criteria are not met.

2-phenoxyethanol

Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	ATE	1394 mg/kg bw				

Disodium EDTA

Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	LD ₅₀	2800 mg/kg		Rat		
Inhalation	LC ₅₀	1000-5000 mg/m ³	4 hours	Rat		

ELite H580 Lyse 3

Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	ATE	5083 mg/kg				Calculation of value
Dermal	ATE	15530 mg/kg				Calculation of value
Inhalation (vapor)	ATE	154.7 mg/l				Calculation of value

sodium hydroxide

Route of exposure	Parameter	Value	Exposure time	Species	Sex	Value determination
Oral	LD ₅₀	325 mg/kg		Rat		
Dermal	LD ₅₀	1350 mg/kg		Rabbit		
Oral	LD ₅₀	500 mg/kg		Rabbit		
Dermal	LD ₅₀	40 mg/kg		Mouse		

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information**12.1. Toxicity**

ELite H580 Lyse 3

Creation date 19th March 2020
Revision date 04th July 2023 Version 4.0

Acute toxicity

Disodium EDTA

Parameter	Value	Exposure time	Species	Environment
EC ₅₀	140 mg/l	48 hours	Daphnia (Daphnia magna)	
LC ₅₀	320 mg/l	96 hours	Fish (Poecilia reticulata)	
EC ₅₀	56 mg/l	8 hours	Bacteria (Pseudomonas putida)	
NOEC	25.7 mg/l	35 days	Fish (Branchydanio rerio)	
NOEC	25 mg/l	21 days	Daphnia (Daphnia magna)	

sodium hydroxide

Parameter	Value	Exposure time	Species	Environment
EC ₅₀	76 mg/l	24 hours	Daphnia (Daphnia magna)	
EC ₅₀	145 mg/l	24 hours	Fish (Poecilia reticulata)	
EC ₅₀	40.4 mg/l	48 hours	Daphnia (Daphnia magna)	
LC ₅₀	160 mg/l	24 hours	Fish (Carassius auratus)	

12.2. Persistence and degradability

not available

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

not available

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

16 05 06 laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals *

Packaging waste type code

15 01 10 packaging containing residues of or contaminated by hazardous substances *

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

ELite H580 Lyse 3

Creation date	19th March 2020		
Revision date	04th July 2023	Version	4.0

SECTION 14: Transport information

- 14.1. UN number or ID number**
not subject to transport regulations
- 14.2. UN proper shipping name**
not relevant
- 14.3. Transport hazard class(es)**
not relevant
- 14.4. Packing group**
not relevant
- 14.5. Environmental hazards**
not relevant
- 14.6. Special precautions for user**
Reference in the Sections 4 to 8.
- 14.7. Maritime transport in bulk according to IMO instruments**
not relevant

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

methanol

Restriction	Conditions of restriction
69	Shall not be placed on the market to the general public after 9 May 2019 in windscreen washing or defrosting fluids, in a concentration equal to or greater than 0,6 % by weight.

15.2. Chemical safety assessment

not available

SECTION 16: Other information**A list of standard risk phrases used in the safety data sheet**

H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H370	Causes damage to organs.
H371	May cause damage to organs.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

ELite H580 Lyse 3

Creation date	19th March 2020	Version	4.0
Revision date	04th July 2023		

H410	Very toxic to aquatic life with long lasting effects.
H310+H330	Fatal in contact with skin or if inhaled.
H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled.
Guidelines for safe handling used in the safety data sheet	
P280	Wear protective gloves/protective clothing/eye protection.
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

A list of additional standard phrases used in the safety data sheet

EUH208	Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.
EUH071	Corrosive to the respiratory tract.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC ₅₀	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
log K _{ow}	Octanol-water partition coefficient
NOEC	No observed effect concentration
NPK	Maximum admissible concentration
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible Exposure Limit
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative

ELite H580 Lyse 3

Creation date	19th March 2020		
Revision date	04th July 2023	Version	4.0

Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Eye Dam.	Serious eye damage
Flam. Liq.	Flammable liquid
Met. Corr.	Corrosive to metals
Skin Corr.	Skin corrosion
Skin Sens.	Skin sensitization
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

The version 4.0 replaces the SDS version from 01 February 2022. Changes were made in sections 2, 11, 15 and 16.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.