

AN 2022_33

ADVISORY NOTICE

ERBA NORM

ERBA PATH

Dear customers,

With a mission to continuously enhance user experience and satisfaction, we would like to inform you regarding the packaging changes and the related pack name changes of biochemistry control sera ERBA NORM and ERBA PATH:

Bottle R2 (distilled water) has been removed from the existing packaging and the content will now consist of only 4 vials with lyophilised control serum; a larger pack containing 10 vials will also be available – please see table below:

CURRENT STATUS:			NEW PACKAGING:			
Cat. No.:	Name/Pack name:	Content:	Cat. No.:	Name:	Pack name:	Content:
BLT00080	ERBA NORM	R1: 4 x 5 mL R2: 1 x 20 mL	BLT00080	ERBA NORM	ERBA NORM 4x5	4 x 5 mL
			XSYS0123	ERBA NORM	ERBA NORM 10x5	10 x 5 mL
BLT00081	ERBA PATH	R1: 4 x 5 mL R2: 1 x 20 mL	BLT00081	ERBA PATH	ERBA PATH 4x5	4 x 5 mL
			XSYS0124	ERBA PATH	ERBA PATH 10x5	10 x 5 mL

Please note, that upcoming change has no influence on chemical composition, **the matrix of control sera remains unchanged.**

In case of any questions, please do not hesitate to contact your local ERBA team.

Best regards,

Erba Lachema s.r.o.
Technical Product Management

Brno, 19th December 2022


Erba Lachema s.r.o.
Karásek 2219/1d, 621 00 Brno
DIČ: CZ26918846 -7-

